



# Plusline Large

## 1000 W R7s cap Clear Halogen linear lamp

Mains-voltage linear lamp giving white halogen light

### Product data

| General Information    |  |
|------------------------|--|
| Cap-Base               | R7s                                    |
| Operating Position     | P4 [Parallel +/-4D or Horizontal(HOR)] |
| Nominal lifetime       | 2,000 hour(s)                          |
| Switching Cycle        | 8,000                                  |
| Rated Lifetime (Hours) | 2,000 hour(s)                          |
| Lighting Technology    | Halogen                                |

| Light Technical                    |           |
|------------------------------------|-----------|
| Luminous Flux                      | 21,500 lm |
| Luminous Efficacy (rated) (Nom)    | 21.5 lm/W |
| Correlated Color Temperature (Nom) | 2900 K    |
| Color rendering index (CRI)        | 100       |

| Operating and Electrical  |                      |
|---------------------------|----------------------|
| Power Consumption         | 1,000 W              |
| Lamp Current (Nom)        | 4.35 A               |
| Starting Time (Nom)       | 0.0 s                |
| Warm-up time to 60% light | instant full light s |
| Power Factor (Fraction)   | 1                    |
| Voltage (Nom)             | 230 V                |

| Controls and Dimming |     |
|----------------------|-----|
| Dimmable             | Yes |

| Mechanical and Housing |       |
|------------------------|-------|
| Bulb Finish            | Clear |
| Bulb Shape             | T11   |


| Approval and Application      |          |
|-------------------------------|----------|
| Energy Consumption kWh/1000 h | 1000 kWh |

| Product Data                    |  |
|---------------------------------|--|
| Order product name              | 1000 W R7s cap Clear Halogen linear lamp |
| Full product name               | 1000 W R7s cap Clear Halogen linear lamp |
| Full product code               | 872790080851300                          |
| Order code                      | 923932143241                             |
| Material Nr. (12NC)             | 923932143241                             |
| Numerator - Quantity Per Pack   | 1  |
| Net Weight (Piece)              | 0.016 kg                                 |
| EAN/UPC - Product/Case          | 8727900808513                            |
| Numerator - Packs per outer box | 10                                       |
| EAN/UPC - Case                  | 8727900808520                            |

## Plusline Large

### Dimensional drawing



| Product                                  | D (max) | B (max)  | B        | B (min)  | C (max)  |
|--|---------|----------|----------|----------|----------|
| 1000 W R7s cap Clear Halogen linear lamp | 11 mm   | 187.3 mm | 185.7 mm | 184.1 mm | 189.1 mm |





# Plusline Large

## 1500 W R7s cap Clear Halogen linear lamp

Mains-voltage linear lamp giving white halogen light

### Product data

| General Information    |  |
|------------------------|--|
| Cap-Base               | R7s                                    |
| Operating Position     | P4 [Parallel +/-4D or Horizontal(HOR)] |
| Nominal lifetime       | 2.000 hour(s)                          |
| Switching Cycle        | 8.000                                  |
| Rated Lifetime (Hours) | 2.000 hour(s)                          |
| Lighting Technology    | Halogen                                |

| Light Technical                    |           |
|------------------------------------|-----------|
| Luminous Flux                      | 33.000 lm |
| Luminous Efficacy (rated) (Nom)    | 22 lm/W   |
| Correlated Color Temperature (Nom) | 2900 K    |
| Color rendering index (CRI)        | 100       |

| Operating and Electrical  |                      |
|---------------------------|----------------------|
| Power Consumption         | 1.500.0 W            |
| Lamp Current (Nom)        | 6.52 A               |
| Starting Time (Nom)       | 0.0 s                |
| Warm-up time to 60% light | instant full light s |
| Power Factor (Fraction)   | 1                    |
| Voltage (Nom)             | 230 V                |

| Controls and Dimming |     |
|----------------------|-----|
| Dimmable             | Yes |

| Mechanical and Housing |       |
|------------------------|-------|
| Bulb Finish            | Clear |
| Bulb Shape             | T11   |


| Approval and Application      |          |
|-------------------------------|----------|
| Energy Consumption kWh/1000 h | 1500 kWh |

| Product Data                    |  |
|---------------------------------|--|
| Order product name              | 1500 W R7s cap Clear Halogen linear lamp |
| Full product name               | 1500 W R7s cap Clear Halogen linear lamp |
| Full product code               | 872790080857500                          |
| Order code                      | 923932243241                             |
| Material Nr. (12NC)             | 923932243241                             |
| Numerator - Quantity Per Pack   | 1  |
| Net Weight (Piece)              | 0.020 kg                                 |
| EAN/UPC - Product/Case          | 8727900808575                            |
| Numerator - Packs per outer box | 10                                       |
| EAN/UPC - Case                  | 8727900808582                            |

## Plusline Large

### Dimensional drawing



| Product                                  | D (max) | B (max)  | B        | B (min)  | C (max)  |
|--|---------|----------|----------|----------|----------|
| 1500 W R7s cap Clear Halogen linear lamp | 11 mm   | 252.3 mm | 250.7 mm | 249.1 mm | 254.1 mm |





# Plusline Small

## Plusline S 300W R7s 230V 1CT/10X10F

Mains-voltage linear lamp giving white halogen light

### Product data

| General Information    |                                  |
|------------------------|----------------------------------|
| Cap-Base               | R7s                              |
| Operating Position     | UNIVERSAL [Any or Universal (U)] |
| Nominal lifetime       | 2,000 hour(s)                    |
| Rated Lifetime (Hours) | 2,000 hour(s)                    |
| Lighting Technology    | Halogen                          |

| Light Technical                    |          |
|------------------------------------|----------|
| Luminous Flux                      | 5,114 lm |
| Luminous Efficacy (rated) (Nom)    | 17 lm/W  |
| Correlated Color Temperature (Nom) | 2900 K   |
| Color rendering index (CRI)        | 100      |

| Operating and Electrical |       |
|--------------------------|-------|
| Power Consumption        | 300 W |
| Lamp Current (Nom)       | 1.3 A |
| Starting Time (Nom)      | 0.0 s |
| Voltage (Nom)            | 230 V |

| Controls and Dimming |     |
|----------------------|-----|
| Dimmable             | Yes |


| Mechanical and Housing |       |
|------------------------|-------|
| Bulb Finish            | Clear |
| Bulb Shape             | T3    |

| Product Data                    |   |
|---------------------------------|---|
| Order product name              | 300 W R7s cap Clear Halogen linear lamp |
| Full product name               | Plusline S 300W R7s 230V 1CT/10X10F     |
| Full product code               | 872790080895700                         |
| Order code                      | 80895700                                |
| Material Nr. (12NC)             | 924735444201                            |
| Numerator - Quantity Per Pack   | 1                                       |
| Net Weight (Piece)              | 0.010 kg                                |
| EAN/UPC - Product/Case          | 8727900808957                           |
| Numerator - Packs per outer box | 100                                     |
| EAN/UPC - Case                  | 8727900808964                           |

## Plusline Small

### Dimensional drawing



| Product                                 | D (max) | B (max)  | B        | B (min)  | C (max)  |
|---|---------|----------|----------|----------|----------|
| 300 W R7s cap Clear Halogen linear lamp | 12 mm   | 115.8 mm | 114.2 mm | 112.6 mm | 117.6 mm |





# Plusline Small

## PLUS PRO S 500W R7s 230V 1CT/50

Mains-voltage linear lamp giving white halogen light


### Product data

| General Information                |                                  |
|------------------------------------|----------------------------------|
| Cap-Base                           | R7s                              |
| Operating Position                 | UNIVERSAL [Any or Universal (U)] |
| Nominal lifetime                   | 2,000 hour(s)                    |
| Rated Lifetime (Hours)             | 2,000 hour(s)                    |
| Lighting Technology                | Halogen                          |
| Light Technical                    |                                  |
| Luminous Flux                      | 9,900 lm                         |
| Luminous Efficacy (rated) (Nom)    | 19.8 lm/W                        |
| Correlated Color Temperature (Nom) | 2900 K                           |
| Color rendering index (CRI)        | 100                              |
| Operating and Electrical           |                                  |
| Power Consumption                  | 500.0 W                          |
| Lamp Current (Nom)                 | 2.17 A                           |
| Starting Time (Nom)                | 0.0 s                            |
| Voltage (Nom)                      | 230 V                            |
| Controls and Dimming               |                                  |
| Dimmable                           | Yes                              |

| Mechanical and Housing          |                                 |
|---------------------------------|---------------------------------|
| Bulb Finish                     | Clear                           |
| Bulb Shape                      | T11                             |
| Product Data                    |                                 |
| Order product name              | PLUS PRO S 500W R7s 230V 1CT/50 |
| Full product name               | PLUS PRO S 500W R7s 230V 1CT/50 |
| Full product code               | 871829114776300                 |
| Order code                      | 925632544211                    |
| Material Nr. (12NC)             | 925632544211                    |
| Numerator - Quantity Per Pack   | 1                               |
| Net Weight (Piece)              | 0.009 kg                        |
| EAN/UPC - Product/Case          | 8718291147763                   |
| Numerator - Packs per outer box | 50                              |
| EAN/UPC - Case                  | 8718291147770                   |

## Plusline Small

### Dimensional drawing



| Product                         | D (max) | B (max)  | B        | B (min)  | C (max)  |
|---------------------------------|---------|----------|----------|----------|----------|
| PLUS PRO S 500W R7s 230V 1CT/50 | 12 mm   | 115.8 mm | 114.2 mm | 112.6 mm | 117.6 mm |

